

Appl. No. 09/976,199

Attorney Docket: 042390.P9821

**LISTING OF THE CLAIMS:**

This listing of claims replaces all prior versions, and listings, of claims in the application:

- 1 1: (Previously Presented) A method for at least partially compensating luminance of an emissive  
2 display comprising:  
3 having a desired luminance, as a function of time, for one or more organic light emitting  
4 diodes (OLEDs) included in said emissive display;  
5 estimating the amount of degradation of the OLEDs; and  
6 utilizing, at least in part, the estimated amount of degradation, attempting to adjust  
7 (adjusting) the luminance of the OLEDs to the desired luminance.

2: (Cancelled)

- 1 3: (Previously Presented) The method of claim 1, wherein estimating includes estimating a  
2 characteristic substantially correlated with said degradation.

- 1 4: (Original) The method of claim 3, wherein said estimating includes measuring the voltage  
2 across said one or more OLEDs at a substantially constant current flow through said one or more  
3 OLEDs.

- 1 5: (Previously Presented) The method of claim 1, wherein measuring said voltage across said  
2 one or more organic light emitting diodes (OLEDs) includes measuring the reverse bias  
3 resistance of said one or more OLEDs.

Appl. No. 09/976,199

Attorney Docket: 042390.P9821

1 6: (Previously Presented) The method of claim 1, wherein adjusting includes adjusting the  
2 amount of electrical energy applied to said one or more organic light emitting diodes (OLEDs).

1 7: (Original) The method of claim 6, wherein adjusting includes increasing the voltage applied  
2 across said one or more OLEDs.

1 8: (Original) The method of claim 7, wherein increasing includes utilization of a lookup table.

1 9: (Original) The method of claim 8, wherein said lookup table includes values such that the  
2 luminance of said one or more organic light emitting diodes (OLEDs) achieved by the  
3 adjustment essentially decreases over time.

1 10: (Previously Presented) The method of claim 1, wherein said method further comprises  
2 adjusting the luminance of said one or more organic light emitting diodes (OLEDs) based, at  
3 least in part, upon estimating the amount of degradation of one or more other organic light  
4 emitting diodes (OLEDs).

1 11: (Currently Amended) An apparatus comprising:  
2 one or more organic light emitting diodes (OLEDs);  
3 a measurement circuit capable of estimating the amount of degradation of the OLEDs;

Appl. No. 09/976,199

Attorney Docket: 042390.P9821

4 and  
5 a control system ~~having a~~ having a desired luminance, as a function of time, for the  
6 OLEDs;  
7 wherein the control system is capable of, utilizing at least in part the estimated amount of  
8 degradation, attempting to adjust (adjusting) the luminance of the OLEDs to the desired  
9 luminance.

12: (Cancelled).

1 13: (Previously Presented) The apparatus of claim 11, wherein the estimation of the amount of  
2 degradation, made by said measurement circuit, includes an estimation of a characteristic  
3 substantially correlated with said degradation.

1 14: (Original) The apparatus of claim 13, wherein said measurement circuit is capable of  
2 measuring the reverse bias resistance of said one or more organic light emitting diodes (OLEDs)  
3 operating at a substantially constant current.

1 15: (Previously Presented) The apparatus of claim 11, wherein said control system is capable of  
2 adjusting said luminance of said one or more organic light emitting diodes (OLEDs) by adjusting  
3 the substantially instantaneous current through said OLEDs.

Appl. No. 09/976,199

Attorney Docket: 042390.P9821

1 16: (Previously Presented) The apparatus of claim 11, wherein said control system comprises a  
2 series of data that correlates a desired luminance with the estimated degradation of said one or  
3 more OLEDs.

1 17: (Original) The apparatus of claim 16, wherein said control system utilizes said series of data  
2 to adjust the luminance of said one or more OLEDs.

1 18: (Original) The apparatus of claim 17, wherein said control system comprises a series of data  
2 that correlates a desired luminance with the estimated degradation of said one or more OLEDs  
3 such that said desired luminance decreases as said estimated degradation of said one or more  
4 OLEDs increases.

1 19: (Previously Presented) The apparatus of claim 11, wherein said control system includes a  
2 storage medium having a plurality of machine accessible instructions, wherein, when said  
3 instructions are executed by said control system, the instructions provide for  
4 utilizing a signal from said measuring circuit;  
5 estimating a desired luminance for said OLEDs; and  
6 adjusting the current applied to said OLEDs based at least in part upon said signal.

Claims 20 – 29: (Cancelled).